implatechone

International Dental Implant Passport

Uluslararası Dental Implant Pasaportu

implatechone.com

Patient name

Hasta adı

Address

Adres

Telephone

Telefon

Date

Tarih

Stamp

Kaşe

IMPLANTS POSITION
İMPLANT POZİSYONU

RS **LS**

18 17 16 15 14 13 12 11	21 22 23 24 25 26 27 28
48 47 46 45 44 43 42 41	31 32 33 34 35 36 37 38

RI **LI**

Description of rehabilitation treatment of prosthetic implant
Protetik implantın rehabilitasyon tedavisinin tanımı

IMPLANT TYPE **Diam. / Length** IMPLANT TÜRÜ Çap / Uzunluk	Apply adhesive label contained inside the package
POSITION POZİSYON	
SURGERY DATE CERRAHİ TARİHİ	
REOPENING DATE 2. CERRAHİ TARİHİ	
TRASMUCOSAL SCREW TRASMUCOSAL VİDASI	
PROSTHESIS DATE PROTEZ TARİHİ	
CODE ABUTMENT, CONNECTION, OTHERS ABUTMENT KODU, BAĞLANTI, DİĞERLERİ	Apply adhesive label contained inside the package

NOT

IMPLANT TYPE **Diam. / Length** IMPLANT TÜRÜ Çap / Uzunluk	Apply adhesive label contained inside the package
POSITION POZİSYON	
SURGERY DATE CERRAHİ TARİHİ	
REOPENING DATE 2. CERRAHİ TARİHİ	
TRASMUCOSAL SCREW TRASMUCOSAL VİDASI	
PROSTHESIS DATE PROTEZ TARİHİ	
CODE ABUTMENT, CONNECTION, OTHERS ABUTMENT KODU, BAĞLANTI, DİĞERLERİ	Apply adhesive label contained inside the package

NOT

IMPLANT TYPE **Diam. / Length** IMPLANT TÜRÜ Çap / Uzunluk	Apply adhesive label contained inside the package
POSITION POZİSYON	
SURGERY DATE CERRAHİ TARİHİ	
REOPENING DATE 2. CERRAHİ TARİHİ	
TRASMUCOSAL SCREW TRASMUCOSAL VİDASI	
PROSTHESIS DATE PROTEZ TARİHİ	
CODE ABUTMENT, CONNECTION, OTHERS ABUTMENT KODU, BAĞLANTI, DİĞERLERİ	Apply adhesive label contained inside the package

NOT

IMPLANT TYPE **Diam. / Length** IMPLANT TÜRÜ Çap / Uzunluk	Apply adhesive label contained inside the package
POSITION POZİSYON	
SURGERY DATE CERRAHİ TARİHİ	
REOPENING DATE 2. CERRAHİ TARİHİ	
TRASMUCOSAL SCREW TRASMUCOSAL VİDASI	
PROSTHESIS DATE PROTEZ TARİHİ	
CODE ABUTMENT, CONNECTION, OTHERS ABUTMENT KODU, BAĞLANTI, DİĞERLERİ	Apply adhesive label contained inside the package

NOT

IMPLANT TYPE **Diam. / Length** IMPLANT TÜRÜ Çap / Uzunluk	Apply adhesive label contained inside the package
POSITION POZİSYON	
SURGERY DATE CERRAHİ TARİHİ	
REOPENING DATE 2. CERRAHİ TARİHİ	
TRASMUCOSAL SCREW TRASMUCOSAL VİDASI	
PROSTHESIS DATE PROTEZ TARİHİ	
CODE ABUTMENT, CONNECTION, OTHERS ABUTMENT KODU, BAĞLANTI, DİĞERLERİ	Apply adhesive label contained inside the package

NOT

IMPLANT TYPE **Diam. / Length** IMPLANT TÜRÜ Çap / Uzunluk	Apply adhesive label contained inside the package
POSITION POZİSYON	
SURGERY DATE CERRAHİ TARİHİ	
REOPENING DATE 2. CERRAHİ TARİHİ	
TRASMUCOSAL SCREW TRASMUCOSAL VİDASI	
PROSTHESIS DATE PROTEZ TARİHİ	
CODE ABUTMENT, CONNECTION, OTHERS ABUTMENT KODU, BAĞLANTI, DİĞERLERİ	Apply adhesive label contained inside the package

NOT

IMPLANT TYPE **Diam. / Length** IMPLANT TÜRÜ Çap / Uzunluk	Apply adhesive label contained inside the package
POSITION POZİSYON	
SURGERY DATE CERRAHİ TARİHİ	
REOPENING DATE 2. CERRAHİ TARİHİ	
TRASMUCOSAL SCREW TRASMUCOSAL VİDASI	
PROSTHESIS DATE PROTEZ TARİHİ	
CODE ABUTMENT, CONNECTION, OTHERS ABUTMENT KODU, BAĞLANTI, DİĞERLERİ	Apply adhesive label contained inside the package

NOT

IMPLANT TYPE **Diam. / Length** IMPLANT TÜRÜ Çap / Uzunluk	Apply adhesive label contained inside the package
POSITION POZİSYON	
SURGERY DATE CERRAHİ TARİHİ	
REOPENING DATE 2. CERRAHİ TARİHİ	
TRASMUCOSAL SCREW TRASMUCOSAL VİDASI	
PROSTHESIS DATE PROTEZ TARİHİ	
CODE ABUTMENT, CONNECTION, OTHERS ABUTMENT KODU, BAĞLANTI, DİĞERLERİ	Apply adhesive label contained inside the package

NOT

IMPLANT TYPE **Diam. / Length** IMPLANT TÜRÜ Çap / Uzunluk	Apply adhesive label contained inside the package
POSITION POZİSYON	
SURGERY DATE CERRAHİ TARİHİ	
REOPENING DATE 2. CERRAHİ TARİHİ	
TRASMUCOSAL SCREW TRASMUCOSAL VİDASI	
PROSTHESIS DATE PROTEZ TARİHİ	
CODE ABUTMENT, CONNECTION, OTHERS ABUTMENT KODU, BAĞLANTI, DİĞERLERİ	Apply adhesive label contained inside the package

NOT

IMPLANT TYPE **Diam. / Length** IMPLANT TÜRÜ Çap / Uzunluk	Apply adhesive label contained inside the package
POSITION POZİSYON	
SURGERY DATE CERRAHİ TARİHİ	
REOPENING DATE 2. CERRAHİ TARİHİ	
TRASMUCOSAL SCREW TRASMUCOSAL VİDASI	
PROSTHESIS DATE PROTEZ TARİHİ	
CODE ABUTMENT, CONNECTION, OTHERS ABUTMENT KODU, BAĞLANTI, DİĞERLERİ	Apply adhesive label contained inside the package

NOT

IMPLANT TYPE **Diam. / Length** IMPLANT TÜRÜ Çap / Uzunluk	Apply adhesive label contained inside the package
POSITION POZİSYON	
SURGERY DATE CERRAHİ TARİHİ	
REOPENING DATE 2. CERRAHİ TARİHİ	
TRASMUCOSAL SCREW TRASMUCOSAL VİDASI	
PROSTHESIS DATE PROTEZ TARİHİ	
CODE ABUTMENT, CONNECTION, OTHERS ABUTMENT KODU, BAĞLANTI, DİĞERLERİ	Apply adhesive label contained inside the package

NOT

IMPLANT TYPE **Diam. / Length** IMPLANT TÜRÜ Çap / Uzunluk	Apply adhesive label contained inside the package
POSITION POZİSYON	
SURGERY DATE CERRAHİ TARİHİ	
REOPENING DATE 2. CERRAHİ TARİHİ	
TRASMUCOSAL SCREW TRASMUCOSAL VİDASI	
PROSTHESIS DATE PROTEZ TARİHİ	
CODE ABUTMENT, CONNECTION, OTHERS ABUTMENT KODU, BAĞLANTI, DİĞERLERİ	Apply adhesive label contained inside the package

NOT

SUBSEQUENT CONTROLS
SONRAKİ KONTROLLER

DATE
TARİH

OBSERVATIONS
GÖZLEMLER

DATE
TARİH

OBSERVATIONS
GÖZLEMLER

DATE
TARİH

OBSERVATIONS
GÖZLEMLER

SUBSEQUENT CONTROLS
SONRAKİ KONTROLLER

DATE
TARİH

OBSERVATIONS
GÖZLEMLER

DATE
TARİH

OBSERVATIONS
GÖZLEMLER

DATE
TARİH

OBSERVATIONS
GÖZLEMLER

SUBSEQUENT CONTROLS
SONRAKİ KONTROLLER

DATE
TARİH

OBSERVATIONS
GÖZLEMLER

DATE
TARİH

OBSERVATIONS
GÖZLEMLER

DATE
TARİH

OBSERVATIONS
GÖZLEMLER

Quality Certificates

ImplatechOne has ISO 13485: 2016 quality approval in accordance with international quality management system standards as stated in your implant passport. Within the scope of this approval, it is in the norms that can be sold all over the world with the explanation of the medical product that can be implanted to the body in the risk class IIb products regulation and CE certificate numbered 93/42/AT, M.2019.106.13085 in accordance with the international CE regulation.

In accordance with current product tracking systems and current international regulations, product labels showing the identification code and serial number are placed in their boxes with implants to provide easy traceability. These labels are sufficient for both the patient's file and the follow-up passport you have. The labels containing the code and serial numbers of the implants used by your doctor should be affixed to your implant passport and must be delivered to you by taking the necessary notes regarding your treatment. This passport will be an important guide when you want to treat doctors from different cities and / or countries.

Kalite Sertifikaları

ImplatechOne, elinizdeki implant pasaportunda belirtildiği üzere uluslararası kalite yönetim sistemi standartlarında ISO 13485: 2016 kalite onayına sahiptir. Bu onay kapsamında risk sınıfı IIb ürünler yönetmeliğinde geçen vücuda implamente edilebilir medikal ürün açıklaması ile uluslararası CE yönetmeliğine uygun olarak 93/42/AT, M.2019.106.13085 No'lu CE sertifikası ile tüm dünyada satışa sunulabilecek normlardadır.

Güncel ürün takip sistemleri ve mevcut uluslararası yönetmeliklere uygun lakin aynı zamanda kolay olan bir izlenebilirlik sağlamak için her implanta kimlik kod ve seri numarasını gösteren ürün etiketleri implantlarla birlikte kutularına yerleştirlmiştir. Bu etiketler hastanın hem hekimde kalacak dosyasına hem de elinizdeki bu takip pasaportuna yetecek sayıdadır. İmplant pasaportunuza hekiminiz kullandığı implantların kod ve seri numaralarını barındıran etiketler yapıştırılmalı ve tedavinizle ilgili gereken notlar alınarak size teslim edilmelidir. Bu pasaport sizin farklı şehir ve/veya ülkelerden farklı hekimlere tedavi yaptırmak istediğinizde önemli bir rehber olacaktır.

Research and Design

The general lines of ImplatechOne have been defined by considering the latest generation approaches to meet the expectations of dentists and patients under the leadership of scientific evidence that sheds light from past to present.

After this first step, ImplatechOne, which was drawn in 3D with high-tech software, was then defined in the system in special analysis programs and passed through digital limit and tolerance assessment tests. This latest generation design technology carries the error rate that may occur before production to very low limits such as 0.000001.

Araştırma ve Tasarım

ImplatechOne'ın genel çizgileri, geçmişten günümüze ışık tutan bilimsel kanıtlar önderliğinde diş hekimlerinin ve hastaların beklentilerini karşılamaya yönelik son jenerasyon yaklaşımlar göz önünde bulundurularak tanımlanmıştır.

Bu ilk adımdan sonra ileri teknoloji yazılımlar ile 3 boyutlu çizimi yapılan ImplatechOne sonra özel analiz programlarında üretimde kullanılan hammaddeler sisteme tanımlanarak dijital limit ve tolerans değerlendirme testlerinden geçirilmiştir. Bu son jenerasyon tasarım teknolojisi üretim öncesi oluşabilecek hata oranını 0,000001 gibi çok düşük sınırlara taşımaktadır.

Raw Materials

The titanium raw material used in the ImplatechOne production is supplied from Dynamet CARPENTER, which is supplied by many American and international companies with the highest international standards. Even if all imported raw materials are certified and imported after crack control tests, they are processed in high technology CNC sliding automats by performing final control tests in our own laboratories before production.

In all implant body production, Ti Grade 4 pure titanium is used and it is based on AlFree (Aluminum Free), that is, aluminum-free production without aluminum content, from raw material to finished product.

Hammadde

ImplatechOne üretiminde kullanılan titanyum hammadde, uluslararası standartları en üst seviyede bulunan Amerikan Menşeli ve uluslararası birçok firmanın tedariğini yaptığı Dynamet CARPENTER'dan tedarik edilmektedir. İthal edilen tüm hammaddeler sertifikalı ve çatlak kontrol testlerinden geçmiş olarak ithal edilmiş olsalar dahi üretim öncesi kendi laboratuvarlarımızda son kontrol testleri yapılarak yüksek teknoloji CNC kayar otomatlarında işleme alınmaktadırlar.

Tüm implant gövde üretiminde, Ti Grade 4 saf titanyum kullanılmakta olup hammaddeden bitmiş ürüne kadar AlFree (Aluminium Free) yani alüminyum içeriği olmayan alaşımsız üretim esas alınmaktadır.

Aluminum Free

Grade 4 titanium materials are 100% biocompatible pure materials that do not contain additional ions released in the body as a result of dissolution and corrosion of the surface film. ImplatechONE is produced from AlFree certified Grade 4 titanium raw material and aluminum is never used during the surface treatment process.

Aluminium Free

Grade 4 titanyum materyaller yüzey filminin çözünmesi ve korozyonu sonucu vücutta salınım gösteren ilave iyonlar içermeyen %100 bio uyumlu saf malzemelerdir. ImplatechONE, AlFree sertifikalı Grade 4 titanyum hammaddesinden üretilmekte ve temiz yüzey prosesi ile yüzey işlemi sırasında kesinlikle aluminyum kullanılmamaktadır.

Patient Information

As the dentists informs the patient about the process before and after the surgery in detail, the patient's implants applied in the patient for a long time can fulfill their functions by staying in the mouth for a long time, following the periodic controls of the patient without disrupting the patient, maintaining oral hygiene and alcohol-cigarette-drug substance. it is possible by avoiding substances that harm the body.

Hasta Bilgilendirme

Hekimin cerrahi öncesi ve sonrası süreç ile ilgili hastayı detaylı bilgilendirmesi dahilinde hastanın kendinde uygulanan impantların sağlıklı bir şekilde uzun süre ağızda kalarak fonksiyonlarını yerine getirebilmeleri hastanın hekimin yönlendirmelerine uyması, 6 aylık periyodik kontrollerini aksatmadan takip etmesi, ağız hijyenini koruması ve alkol-sigara-uyuşturucu madde gibi vücuda zarar veren maddelerden uzak durması ile mümkün olabilir.

Warranty

Implants are covered by 100% warranty against manufacturing defects. Although implant losses due to surgeon's misapplication and / or disruption of the patient's periodic care, use of banned substances, and not paying attention to oral hygiene and care, implant losses are considered out of warranty.

Garanti Kapsamı

İmplantlar üretim hatalarına karşı %100 garanti kapsamındadır. Hekim yanlış uygulamasına bağlı implant kayıplarında ve/veya hastanın periyodik bakımlarını aksatması, yasaklı madde kullanımı, ağız hijyenine ve bakımına özen göstermemesine karşın oluşan implant kayıpları garanti kapsamı dışında değerlendirilmektedir.

implatechone

Aksaray Mah. Hobyar
Mektebi Sok. No. 49/1
Cerrahpaşa İstanbul - Türkiye
T +90 212 530 33 44
F +90 212 530 33 30

info@implatechone.com
implatechone.com